2006-Feb-08 6517330106

Application No.: 10/712589

Case No.: 59391US002

## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

- 1. (Canceled)
- 2. (Canceled)
- 3. (Currently Amended) A polymer electrolyte membrane comprising a highly fluorinated polymer comprising: a perfluorinated backbone, first pendent groups which comprise sulfonic acid groups, and crosslinks comprising trivalent groups according to the formula:

The polymer-electrolyte-membrane-according to claim 1 wherein said first pendent groups are according to the formula: -O-CF2-CF2-CF2-CF2-SO3H.

- 4.-8. (Canceled)
- 9. (Currently Amended) A method of making a polymer electrolyte membrane comprising the steps of:
- providing a highly fluorinated polymer comprising: a perfluorinated backbone, first pendent groups which comprise sulfonyl halide groups, and second pendent groups which comprise nitrile groups;
  - forming said fluoropolymer into a membrane;
  - trimerizing said nitrile groups to form crosslinks; and
  - converting said sulfonyl halide groups to sulfonic acid groups;

The method according to claim-7-wherein said first pendent groups are according to the formula: -O-CF2-CF2-CF2-CF2-SO2X.

ЗМ

Case No.: 59391US002 Application No.: 10/712589

- 10. (Currently Amended) A method of making a polymer electrolyte membrane comprising the steps of:
  - providing a highly fluorinated polymer comprising: a perfluorinated backbone, a) first pendent groups which comprise sulfonyl halide groups, and second pendent groups which comprise nitrile groups:
    - forming said fluoropolymer into a membrane;
    - c) trimerizing said vitrile groups to form crosslinks; and
- converting said sulfonyl halide groups to sulfonic acid groups; wherein said second pendent groups are selected from -C=N and groups according to the formula: -R1-C=N, where R1 is a branched or unbranched perfluoroalkyl or perfluoroether group comprising 1-15 carbon atoms and 0-4 oxygen atoms; and The method according to claim 8 wherein said first pendent groups are according to the formula: -O-CF2-CF2-CF2-CF2-SO2X.
- 11.-16. (Canceled)
- (Original) A polymer electrolyte membrane made according to the method of claim 9.
- 18. (Original) A polymer electrolyte membrane made according to the method of claim 10.
- 19.-22. (Canceled)
- 23. (Currently Amended) A polymer membrane comprising a highly fluorinated polymer comprising: a perfluorinated backbone, first pendent groups which comprise groups according to the formula -S02X, where X is F, Cl, Br, OH, or -O-M+, where M+ is a monovalent cation, and crosslinks comprising trivalent groups according to the formula:

ЗМ

Case No.: 59391US002

Application No.: 10/712589

N N N (I)

The polymor-membrane-according to claim-21 wherein said first pendent groups are according to the formula: -O-CF<sub>2</sub>-CF<sub>2</sub>-CF<sub>2</sub>-CF<sub>2</sub>-SO<sub>2</sub>X.

24.-26. (Canceled)

27. (Currently Amended) A polymer comprising a highly fluorinated polymer comprising: a perfluorinated backbone, first pendent groups which comprise groups according to the formula -S02X, where X is F, Cl, Br, OH, or -O-M+, where M+ is a monovalent cation, and crosslinks comprising trivalent groups according to the formula:

The polymer-according to claim-25 wherein said first pendent groups are according to the formula: -O-CF<sub>2</sub>-CF<sub>2</sub>-CF<sub>2</sub>-CF<sub>2</sub>-SO<sub>2</sub>X.

28. (Canceled)